



SAFETY DATA SHEET

1. Identification

| | |
|---------------------------------|--|
| GHS product identifier | LMG-30E® |
| Product Code | 591M35 |
| Version # | 02 |
| Issue date | 01-30-2018 |
| Revision date | 02-06-2018 |
| Supersedes date | 01-30-2018 |
| CAS # | Mixture |
| Recommended use | Corrosion Inhibitor |
| Recommended Restrictions | Not available. |
| Manufacturer information | Liquid Minerals Group, Ltd. PO Box 1700 New Waverly, TX 77358 United States sdsinfo@pilotchemical.com (936)291-2424 (8 AM to 5 PM Central) CHEMTREC (US) 800-424-9300 CHEMTREC (International) 703-527-3887 |

2. Hazards identification

| | | |
|------------------------------|--|------------|
| GHS classification | | |
| Physical hazards | Flammable liquids | Category 4 |
| Health hazards | Acute toxicity, oral | Category 5 |
| | Acute toxicity, inhalation | Category 4 |
| | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2 |
| | Carcinogenicity | Category 2 |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 2 |
| | Hazardous to the aquatic environment, long-term hazard | Category 2 |

GHS label elements

Signal word Danger



Hazard statement Combustible liquid. May be harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. Suspected of causing cancer. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.

| | |
|--|---|
| Storage | Store in a well-ventilated place. Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards which do not result in classification | None known. |
| Supplemental information | 72.26% of the mixture consists of component(s) of unknown acute oral toxicity. 70.48% of the mixture consists of component(s) of unknown acute dermal toxicity. 86.28% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 86.28% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. |

3. Composition/information on ingredients

| Components | CAS # | Percent |
|---|------------|-----------|
| Fatty Acids, Tall Oil, Magnesium Salts | 67701-23-9 | 40 - < 80 |
| Distillates, Petroleum, Hydrotreated Heavy Naphthenic | 64742-52-5 | 10 - < 20 |
| Solvent Naphtha (petroleum), Heavy Arom. | 64742-94-5 | 10 - < 20 |
| Asphalt | 8052-42-4 | 1 - < 3 |
| Naphthalene | 91-20-3 | 1 - < 3 |

4. First aid measures

First aid procedures

| | |
|-------------------|---|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Skin | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Eye | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |

Most important symptoms and effects, both acute and delayed Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General advice IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

| | |
|--|--|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed. |
| Protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Protection of fire-fighters | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| General fire hazards | Combustible liquid. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |

6. Accidental release measures

| | |
|----------------------------------|--|
| Personal precautions | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Environmental precautions | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |
| Methods for containment | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. |

Methods for cleaning up

Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. The product is immiscible with water and will sediment in water systems. Prevent product from entering drains. Do not allow material to contaminate ground water system.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Storage

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls / personal protection

Control parameters

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--|------|-----------------------|---------------------|
| Asphalt (CAS 8052-42-4) | TWA | 0.5 mg/m ³ | Inhalable fraction. |
| Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | TWA | 5 mg/m ³ | Inhalable fraction. |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm | |
| Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5) | TWA | 200 mg/m ³ | Non-aerosol. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

| | |
|---|-----------------------------------|
| Naphthalene (CAS 91-20-3) | Can be absorbed through the skin. |
| Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5) | Can be absorbed through the skin. |

Recommended monitoring procedures

Follow standard monitoring procedures.

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Personal protective equipment

Eye/face protection

Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Chemical respirator with organic vapor cartridge and full facepiece.

Hand protection

Wear appropriate chemical resistant gloves.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Color

Dark brown

Form

Liquid.

Odor

Hydrocarbon-like.

Odor threshold

Not available.

| | |
|---|--|
| pH | Not available. |
| Melting point/Freezing point | < -40 °F (< -40 °C) |
| Boiling point | 348.8 °F (176 °C) |
| Flash point | 150.1 °F (65.6 °C) Pensky-Martens Closed Cup |
| Evaporation rate | < 1 (Ether =1) |
| Flammability (solid, gas) | Not applicable. |
| Flammability limits in air, lower, % by volume | Not available. |
| Flammability limits in air, upper, % by volume | Not available. |
| Vapor pressure | < 5 mm Hg @ 21°C |
| Vapor density | > 1 (Air =1) |
| Relative density | 1.42 |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | < 400 cSt @ 60°F |
| Pour point | < -40 °F (< -40 °C) |
| Other data | |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |
| Shelf life | 360 days |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Toxicological data

| Product | Species | Test Results |
|-------------------------|---------|------------------------|
| LMG-30E® | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 5000 mg/kg |
| Inhalation | | |
| <i>Mist</i> | | |
| LC50 | Rat | > 5 mg/l, 4 h |
| Oral | | |
| LD50 | Rat | > 3000 mg/kg |
| Components | Species | Test Results |
| Asphalt (CAS 8052-42-4) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg, 24 Hours |

| Components | Species | Test Results |
|--|--|--|
| Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Inhalation | | |
| <i>Aerosol</i> | | |
| LC50 | Rat | > 5.53 mg/l, 4 Hours |
| Oral | | |
| LD50 | Rat | > 5000 mg/kg |
| Naphthalene (CAS 91-20-3) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2 g/kg |
| Oral | | |
| LD50 | Rat | 490 mg/kg |
| Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5) | | |
| Acute | | |
| Dermal | | |
| LD50 | - | > 2000 mg/kg, 24 Hours |
| Inhalation | | |
| LC50 | - | > 5.3 mg/l |
| Oral | | |
| LD100 | Rat | 5000 mg/kg |
| LD50 | Rat | > 2000 mg/kg |
| Routes of exposure | Inhalation. Ingestion. Skin contact. Eye contact. | |
| Toxicological information | Occupational exposure to the substance or mixture may cause adverse effects. | |
| Acute toxicity | May be fatal if swallowed and enters airways. Harmful if inhaled. | |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory sensitizer | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | Suspected of causing cancer. | |
| ACGIH Carcinogens | | |
| Asphalt (CAS 8052-42-4) | | A4 Not classifiable as a human carcinogen. |
| Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | | A2 Suspected human carcinogen. |
| Naphthalene (CAS 91-20-3) | | A4 Not classifiable as a human carcinogen. A3 Confirmed animal carcinogen with unknown relevance to humans. |
| Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5) | | A3 Confirmed animal carcinogen with unknown relevance to humans. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| Asphalt (CAS 8052-42-4) | | 2B Possibly carcinogenic to humans. |
| Naphthalene (CAS 91-20-3) | | 2B Possibly carcinogenic to humans. |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | |
| Chronic effects | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. | |

Symptoms Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

12. Ecological information

Ecotoxicological data

| Components | | Species | Test Results |
|--|------|---|----------------------------|
| Distillates, Petroleum, Hydrotreated Heavy Naphthenic (CAS 64742-52-5) | | | |
| Aquatic | | | |
| <i>Acute</i> | | | |
| Algae | NOEL | Algae | >= 100 mg/l, 72 h |
| Crustacea | EC50 | Daphnia | > 10000 mg/l, 48 h |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) | > 100 mg/l, 96 h |
| <i>Chronic</i> | | | |
| Crustacea | NOEC | Daphnia | 10 mg/l, 21 d |
| Naphthalene (CAS 91-20-3) | | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (<i>Daphnia magna</i>) | 1.09 - 3.4 mg/l, 48 hours |
| Fish | LC50 | Pink salmon (<i>Oncorhynchus gorbuscha</i>) | 1.11 - 1.68 mg/l, 96 hours |
| Solvent Naphtha (petroleum), Heavy Arom. (CAS 64742-94-5) | | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (<i>Daphnia pulex</i>) | 2.7 - 5.1 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>) | 8.8 mg/l, 96 hours |
| | | | 8.8 mg/l, 96 hours |

Ecotoxicity Toxic to aquatic life with long lasting effects.

Environmental effects Toxic to aquatic life with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence / degradability No data is available on the degradability of this product.

Bioaccumulation No data available.

Bioaccumulative potential

Octanol/water partition coefficient log Kow

Naphthalene 3.3

Aquatic toxicity Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Mobility The product is immiscible with water and will sediment in water systems.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methods Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

ADR

| | |
|-----------------------------------|---|
| UN number | 3082 |
| UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Transport hazard class(es) | |
| Class | 9 |
| Subsidiary risk | - |
| Label(s) | 9 |
| Hazard No. (ADR) | 90 |
| Tunnel restriction code | E |
| Packing group | III |

Environmental hazards Yes
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport hazard class(es)
 Class 9
 Subsidiary risk -
 Label(s) 9
Packing group III
Environmental hazards Yes
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.


IATA

UN number 3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)
 Class 9
 Subsidiary risk -
Packing group III
Environmental hazards Yes
ERG Code 9L
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
Other information
 Passenger and cargo aircraft Allowed with restrictions.
 Cargo aircraft only Allowed with restrictions.


IMDG

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT
Transport hazard class(es)
 Class 9
 Subsidiary risk -
Packing group III
Environmental hazards
 Marine pollutant Yes
EmS F-A, S-F
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

ADR; IATA; IMDG; RID



Marine pollutant



General information IMDG Regulated Marine Pollutant.

15. Regulatory information

Regulatory information Additional information is given in the Safety Data Sheet.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Disclaimer

The Pilot Chemical Corp. product referred to in this document is sold pursuant to Pilot Chemical Corp.'s Standard Terms and Conditions ("Terms"); however, the information contained in this document shall not be considered part of said Terms. Although the information is believed to be accurate and reliable as of the date compiled, PILOT CHEMICAL CORP. MAKES NO GUARANTEE, REPRESENTATION, OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE ACCURACY, RELIABILITY, SUFFICIENCY, SUITABILITY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF ANY INFORMATION IN THIS DOCUMENT OR THE PRODUCT TO WHICH THIS DOCUMENT RELATES. Users should make their own investigations, tests and determinations as to the information's completeness and the product's suitability for their particular purposes. It is the user's responsibility to ensure that all activities comply with applicable laws. Pilot Chemical Corp. makes no warranty or representation that the information or product may be used without infringing the intellectual property rights of Pilot Chemical Corp or others. This document is provided gratuitously for guidance only and Pilot Chemical Corp. assumes no liability for its use.

SDS sections updated

Product and Company Identification: Product and Company Identification
Toxicological Information: Toxicological Data